

Brand name: TIOVITA Drink

**RISK CATEGORIES**  
Designated quasi-drug

**CHARACTERISTICS**  
I Vitamin health drink

- Long-time beloved vitamin healthdrink with a catchphrase "One Love to Share to help relieve physical exhaustion"
- It contains 1,000 mg of taurine, vitamin B groups, and carnitine hydrochloride as active ingredients.
- Easy-to-take "mixed fruit flavor"
- It only has "70 kcal".



**ACTIVE INGREDIENTS**  
Per 100 mL bottle  
Taurine 1,000 mg, Inositol 50 mg, Nicotinamide 20 mg, Thiamine Nitrate (Vitamin B<sub>1</sub>) 5 mg, Riboflavin Sodium Phosphate (Vitamin B<sub>2</sub>) 5 mg, Pyridoxine Hydrochloride (Vitamin B<sub>6</sub>) 5 mg, Carnitine Hydrochloride 100 mg, Anhydrous Caffeine 50 mg

Inactive ingredients: High-fructose Corn Syrup, DL-Malic Acid, Propyl Gallate, Sodium Benzoate, pH Adjuster, Citric Acid, Sodium Citrate, D-Sorbitol, Vanillin, Ethyl Vanillin, Flavor

- Urine may turn yellow because of vitamin B<sub>2</sub> contained in the medicine. It is nothing to worry about.

For further information:

Manufactured and Distributed by:	TAIHO PHARMACEUTICAL CO., LTD.				
Dosage form	Liquid				
Packaging unit	100 mL x 1 bottle	100 mL x 2 bottles	100 mL x 3 bottles	100 mL x 10 bottles	100 mL x 50 bottles
Manufacturer's suggested retail price	JPY 215 (JPY 195 excluding tax)	JPY 429 (JPY 390 excluding tax)	JPY 644 (JPY 585 excluding tax)	JPY 2,145 (JPY 1,950 excluding tax)	JPY 10,725 (JPY 9,750 excluding tax)
JAN Code	4987117438710	4987117438956	4987117438918	4987117438741	4987117438802
Expiration	3 years				

**DOSAGE AND ADMINISTRATION**  
Adults (15 years and over): Take 1 bottle (100 mL) once daily.

- Do not use in children (under 15 years).
- Follow the dosing instruction. (Please pay attention to overdose if other products containing vitamins are concomitantly used.)

**INDICATIONS**

- Recovery from and prophylaxis of fatigue
- Improvement and prophylaxis of physical malfunction associated with malnutrition in daily living
  - Fatiguability, persistent fatigue, lack of physical strength, heaviness in the body, feeling tired
- Maintenance and improvement of physical strength, resistance, or concentration
- Supply of nutrients in the following cases: decreased physical strength during/after illness, febrile debilitating illness, loss of appetite, during pregnancy/lactation or before/after delivery

**PRECAUTIONS FOR USE**

■ Consultation

1. If skin rash occurs after using the medicine, this may be an adverse reaction of the medicine. Discontinue the use of the medicine immediately, and consult a physician, pharmacist, or registered salesperson with this medicine.
2. Diarrhea may occur after using the medicine. If the symptom persists or gets worse, discontinue the use of the medicine, and consult a physician, pharmacist, or registered salesperson with this medicine.
3. If symptoms do not improve after using the medicine for a while, discontinue the use of the medicine, and consult a physician, pharmacist, or registered salesperson with this medicine.

## CONTACT

For inquiries, please contact the shop where you purchased the product or the following:

Manufacturer and distributor Contact:

Customer Relations Office, Taiho Pharmaceutical Co., Ltd.

1-27 Kandanshiki-cho, Chiyoda-ku, Tokyo, 101-8444, Japan

Phone: 0120-4527-66 Business hours: 9:00-17:00 (Excluding weekends and holidays)

Website: <https://www.taiho.co.jp/>

## PRECAUTIONS FOR USE

### Consultation

1. If skin rash occurs after using the medicine, this may be an adverse reaction of the medicine. Discontinue the use of the medicine immediately, and consult a physician, pharmacist, or registered salesperson with this medicine.
2. Diarrhea may occur after using the medicine. If the symptom persists or gets worse, discontinue the use of the medicine, and consult a physician, pharmacist, or registered salesperson with this medicine.
3. If symptoms do not improve after using the medicine for a while, discontinue the use of the medicine, and consult a physician, pharmacist, or registered salesperson with this medicine. TIOVITA Drink

## CONTACT

For inquiries, please contact the shop where you purchased the product or the following:

Manufacturer and distributor Contact:

Customer Relations Office, Taiho Pharmaceutical Co., Ltd.

1-27 Kandanishiki-cho, Chiyoda-ku, Tokyo, 101-8444, Japan

Phone: 0120-4527-66 Business hours: 9:00-17:00 (Excluding weekends and holidays)

Website: <https://www.taiho.co.jp/>